



Department of Biodiversity,
Conservation and Attractions



Biodiversity and
Conservation Science

*We're working for
Western Australia.*

Swan Canning Estuary Water Quality Monitoring Project

Weekly Water Quality Report


Canning Estuary and Lower Canning River

7th July 2020

Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Canning Estuary and Lower Canning River- Water Quality Profiles- 7th July 2020



Date: 7th July 2020

Weather & tide conditions: Conditions were overcast with a predominantly northerly breeze of up to 9 knots. The predicted tides at Barrack St were 1.22 m at 12:01 pm (high tide) and 0.68 m at 10:49 pm (low tide). Flow was observed at Kent St Weir. Gosnells recorded no rainfall during the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St and Nicholson Rd oxygenation plants were operational but not triggered to provide oxygen in the 24 hours prior to sampling.

Canning Estuary (downstream of Kent St Weir): The Canning Estuary was saline at SCB2, brackish over saline at SAL, brackish at RIV and fresh over brackish at CASMID. Surface waters were oxygenated or well oxygenated and bottom waters were low in oxygen at RIV and hypoxic at CASMID. Chlorophyll fluorescence was low throughout this zone. Water temperature ranged from 13.8 to 16.5 °C.

Lower Canning River (upstream of Kent St Weir): The Lower Canning River was fresh and waters were well oxygenated throughout this zone. Chlorophyll fluorescence was highest at KENU300 indicating higher microalgal activity in that area. Water temperature ranged from 14.6 to 15.6 °C.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

Oxygenation Plant Operational Status:

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

Definitions:

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35
Dissolved oxygen – well oxygenated >6mg/L, oxygenated >4-6mg/L, low oxygen >2-4mg/L, hypoxic 0.5-2mg/L, anoxic <0.5mg/L