



Department of Biodiversity,
Conservation and Attractions



Biodiversity and
Conservation Science

*We're working for
Western Australia.*

Swan Canning Estuary Water Quality Monitoring Project

Weekly Water Quality Report


Canning Estuary and Lower Canning River

5th January 2021

Prepared by

Rivers and Estuaries Science
Biodiversity and Conservation Science
Department of Biodiversity, Conservation and Attractions

Canning Estuary and Lower Canning River - Water Quality Profiles - 5th January 2021



Distance From Canning Bridge (km)

Date: 5th January 2021

Weather & tide conditions: Conditions were clear with a predominantly easterly breeze of up to 19 knots. The predicted tides at Barrack St were 0.95 m at 12:55 am (high tide overnight), 0.64 m at 10:19 am (low tide) and 0.89 m at 10:29 pm (second high tide). Gosnells recorded no rainfall during the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St oxygenation plant was operational but not triggered to provide oxygen and the Nicholson Rd oxygenation plants was triggered to provide oxygen in the 24 hours prior to sampling.

Canning Estuary (downstream of Kent St Weir): The Canning Estuary was saline from SCB2 to RIV and brackish over saline at CASMID. Waters were oxygenated or well oxygenated. Chlorophyll fluorescence was highest at CASMID indicating higher microalgal activity in that area. Water temperature ranged from 22.0 to 27.4 °C.

Lower Canning River (upstream of Kent St Weir): The Lower Canning River was fresh, surface waters were oxygenated or well oxygenated and bottom waters were low in oxygen at ELL. Chlorophyll fluorescence was highest at BAC indicating higher microalgal activity in that area. Water temperature ranged from 23.1 to 25.5 °C.

NB: Profile plots are visual interpolations of measured parameters only. Detailed data are available at wir.water.wa.gov.au.

Oxygenation Plant Operational Status:

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

Definitions:

Salinity – fresh <5, brackish 5-25, saline 25-35, hypersaline >35
Dissolved oxygen – well oxygenated >6mg/L, oxygenated >4-6mg/L, low oxygen >2-4mg/L, hypoxic 0.5-2mg/L, anoxic <0.5mg/L