



# Swan Canning Estuary Water Quality Monitoring Project

## Weekly Water Quality Report

### Canning Estuary and Lower Canning River


20 May 2025

Prepared by

Rivers and Estuaries Science  
Biodiversity and Conservation Science  
Department of Biodiversity, Conservation and Attractions



## Canning Estuary and Lower Canning River - Water Quality Profiles – 20 May 2025



Date: 20 May 2025

Weather & tide conditions: Conditions were clear with a predominately southerly breeze of up to 5.1 knots. The predicted tides at Barrack St were 0.76 m at 2:04 am (low tide) and 1.18 m at 3:25 pm (high tide). Perth recorded no rain in the week prior to sampling (Bureau of Meteorology).

Oxygenation: The Bacon St oxygenation plant was operable but not triggered to provide oxygen and the Nicholson Rd oxygenation plant was triggered to provide oxygen in the 24 hours prior to sampling.

Canning Estuary (SCB2 to CASMID): The Canning Estuary was hypersaline at SCB2, saline at SAL and RIV and brackish over saline at CASMID. Waters were oxygenated or well oxygenated, except sub-surface and bottom waters at CASMID which were low in oxygen to hypoxic. Chlorophyll fluorescence was moderate in surface and sub-surface waters of CASMID. Water temperatures ranged from 15.2 to 19.6 °C at the time of sampling.

Lower Canning River (KEN to ELL): The Lower Canning River was fresh, waters were oxygenated or well oxygenated and chlorophyll fluorescence was low. Water temperatures ranged from 15.4 to 16.7 °C at the time of sampling.

**NB:** Profile plots are visual interpolations of measured parameters only. Detailed data are available at [wir.water.wa.gov.au](http://wir.water.wa.gov.au).

**Oxygenation Plant Operational Status:**

- ▲ Operating for part or all of the 24 hours prior to sampling
- ▲ Operable but not triggered to operate in the 24 hours prior to sampling
- ▲ Inoperable for part or all of the 24 hours prior to sampling

**Definitions:**

**Salinity** – fresh <5, brackish 5-25, saline 25-35, hypersaline >35

**Dissolved oxygen** – well oxygenated >6 mg L<sup>-1</sup>, oxygenated >4-6 mg L<sup>-1</sup>, low oxygen >2-4 mg L<sup>-1</sup>, hypoxic 0.5-2 mg L<sup>-1</sup>, anoxic <0.5 mg L<sup>-1</sup>

**Chlorophyll fluorescence (low flow):** low < 50 µg L<sup>-1</sup>, moderate 50-150 µg L<sup>-1</sup>, high 150-400 µg L<sup>-1</sup>, extreme > 400 µg L<sup>-1</sup>